ELSEVIER

Hearing Research 142 (2000) 212

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 142

Altschuler, R.A., see Shoji, F. (142) 41
Aran, J.-M., see Charlet de Sauvage, R. (142) 141

Bowman, D.M., Brown, D.K. and Kimberley, B.P.
An examination of gender differences in DPOAE phase delay measurements in normal-hearing human adults (142) 1
Brown, D.K., see Bowman, D.M. (142) 1

Charlet de Sauvage, R., Erre, J.-P. and Aran, J.-M.
Discharge rate of the auditory nerve during noise revealed by electrocochlear stimulation (142) 141
Chen, Y.-S., see Hsu, C.-J. (142) 203
Cotillon, N., Nafati, M. and Edeline, J.-M.
Characteristics of reliable tone-evoked oscillations in the rat thalamocortical auditory system (142) 113

DeGagne, J.M., see Khan, D.C. (142) 12
Dolan, D.F., see Shoji, F. (142) 41
Dooling, R.J., see Gleich, O. (142) 56

Edeline, J.-M., see Cotillon, N. (142) 113
Eggermont, J.J. and Komiya, H.
Moderate noise trauma in juvenile cats results in profound cortical topographic map changes in adulthood (142) 89
Erre, J.-P., see Charlet de Sauvage, R. (142) 141

Färber, S., see Foth, H.-J. (142) 71
Foth, H.-J., Färber, S., Gauer, A. and Wagner, R.
Thermal damage threshold at 633 nm of tympanic membrane of pig (142) 71
Fowler, C.G., see Torre III, P. (142) 131

Gauer, A., see Foth, H.-J. (142) 71
Gleich, O., Dooling, R.J. and Ryals, B.M.
Neither endocochlear potential nor Tegmentum vasculosum are affected in hearing impaired Belgian Waterslager canaries (142) 56
Gummer, A.W., see Zinn, C. (142) 159
Gummer, A.W., see Hemmert, W. (142) 184

Hemmert, W., Zenner, H.-P. and Gummer, A.W.
Characteristics of the travelling wave in the low-frequency region of a temporal-bone preparation of the guinea-pig cochlea (142) 184
Hidaka, H., see Kawase, T. (142) 63
Hsu, C.-J., Shau, W.-Y., Chen, Y.-S., Liu, T.-C. and Lin-Shiau, S.Y.
Activities of Na^+,K^+-ATPase and Ca^{2+}-ATPase in cochlear lateral wall after acoustic trauma (142) 203

Kawase, T., Ogura, M., Hidaka, H., Sasaki, N., Suzuki, Y. and Takasaka, T.
Effects of contralateral noise on measurement of the psychophysical tuning curve (142) 63
Khan, D.C., DeGagne, J.M. and Trune, D.R.
Abnormal cochlear connective tissue mineralization in the Palmerston North autoimmune mouse (142) 12
Kimberley, B.P., see Bowman, D.M. (142) 1
Komiya, H., see Eggermont, J.J. (142) 89

Lin-Shiau, S.Y., see Hsu, C.-J. (142) 203
Linthicum, F.H., see Zeng, F.-G. (142) 102
Liu, T.-C., see Hsu, C.-J. (142) 203

Magal, E., see Shoji, F. (142) 41
Maier, H., see Zinn, C. (142) 159
Martino, K.M., see Zeng, F.-G. (142) 102
McFadden, D.
Masculinizing effects on otoacoustic emissions and auditory evoked potentials in women using oral contraceptives (142) 23
Miller, J.M., see Shoji, F. (142) 41

Nafati, M., see Cotillon, N. (142) 113

Ogura, M., see Kawase, T. (142) 63

Ryals, B.M., see Gleich, O. (142) 56

Sasaki, N., see Kawase, T. (142) 63
Schacht, J., see Sha, S.-H. (142) 34
Sha, S.-H. and Schacht, J.
Antioxidants attenuate gentamicin-induced free radical formation in vitro and ototoxicity in vivo: D-methionine is a potential protectant (142) 34
Shau, W.-Y., see Hsu, C.-J. (142) 203
Shoji, F., Yamasoba, T., Magal, E., Dolan, D.F., Altschuler, R.A. and Miller, J.M.
Glial cell line-derived neurotrophic factor has a dose dependent influence on noise-induced hearing loss in the guinea pig cochlea (142) 41
Soli, S.D., see Zeng, F.-G. (142) 102
Sundin, V.S., see Willott, J.F. (142) 79
Suzuki, Y., see Kawase, T. (142) 63

Takasaka, T., see Kawase, T. (142) 63
Torre III, P. and Fowler, C.G.
Age-related changes in auditory function of rhesus monkeys (*Macaca mulatta*) (142) 131
Trune, D.R., see Khan, D.C. (142) 12
Turner, J.G., see Willott, J.F. (142) 79

Wagner, R., see Foth, H.-J. (142) 71
Willott, J.F., Turner, J.G. and Sundin, V.S.
Effects of exposure to an augmented acoustic environment on auditory function in mice: roles of hearing loss and age during treatment (142) 79

Yamasoba, T., see Shoji, F. (142) 41

Zeng, F.-G., Martino, K.M., Linthicum, F.H. and Soli, S.D.
Auditory perception in vestibular neurectomy subjects (142) 102
Zenner, H.-P., see Zinn, C. (142) 159
Zenner, H.-P., see Hemmert, W. (142) 184
Zinn, C., Maier, H., Zenner, H.-P. and Gummer, A.W.
Evidence for active, nonlinear, negative feedback in the vibration response of the apical region of the in-vivo guinea-pig cochlea (142) 159

PII: S0378-5955(00)00052-6

ELSEVIER

Hearing Research 142 (2000) 212

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 142

Altschuler, R.A., see Shoji, F. (142) 41
Aran, J.-M., see Charlet de Sauvage, R. (142) 141

Bowman, D.M., Brown, D.K. and Kimberley, B.P.
An examination of gender differences in DPOAE phase delay measurements in normal-hearing human adults (142) 1
Brown, D.K., see Bowman, D.M. (142) 1

Charlet de Sauvage, R., Erre, J.-P. and Aran, J.-M.
Discharge rate of the auditory nerve during noise revealed by electrocochlear stimulation (142) 141
Chen, Y.-S., see Hsu, C.-J. (142) 203
Cotillon, N., Nafati, M. and Edeline, J.-M.
Characteristics of reliable tone-evoked oscillations in the rat thalamocortical auditory system (142) 113

DeGagne, J.M., see Khan, D.C. (142) 12
Dolan, D.F., see Shoji, F. (142) 41
Dooling, R.J., see Gleich, O. (142) 56

Edeline, J.-M., see Cotillon, N. (142) 113
Eggermont, J.J. and Komiya, H.
Moderate noise trauma in juvenile cats results in profound cortical topographic map changes in adulthood (142) 89
Erre, J.-P., see Charlet de Sauvage, R. (142) 141

Färber, S., see Foth, H.-J. (142) 71
Foth, H.-J., Färber, S., Gauer, A. and Wagner, R.
Thermal damage threshold at 633 nm of tympanic membrane of pig (142) 71
Fowler, C.G., see Torre III, P. (142) 131

Gauer, A., see Foth, H.-J. (142) 71
Gleich, O., Dooling, R.J. and Ryals, B.M.
Neither endocochlear potential nor Tegmentum vasculosum are affected in hearing impaired Belgian Waterslager canaries (142) 56
Gummer, A.W., see Zinn, C. (142) 159
Gummer, A.W., see Hemmert, W. (142) 184

Hemmert, W., Zenner, H.-P. and Gummer, A.W.
Characteristics of the travelling wave in the low-frequency region of a temporal-bone preparation of the guinea-pig cochlea (142) 184
Hidaka, H., see Kawase, T. (142) 63
Hsu, C.-J., Shau, W.-Y., Chen, Y.-S., Liu, T.-C. and Lin-Shiau, S.Y.
Activities of Na^+,K^+-ATPase and Ca^{2+}-ATPase in cochlear lateral wall after acoustic trauma (142) 203

Kawase, T., Ogura, M., Hidaka, H., Sasaki, N., Suzuki, Y. and Takasaka, T.
Effects of contralateral noise on measurement of the psychophysical tuning curve (142) 63
Khan, D.C., DeGagne, J.M. and Trune, D.R.
Abnormal cochlear connective tissue mineralization in the Palmerston North autoimmune mouse (142) 12
Kimberley, B.P., see Bowman, D.M. (142) 1
Komiya, H., see Eggermont, J.J. (142) 89

Lin-Shiau, S.Y., see Hsu, C.-J. (142) 203
Linthicum, F.H., see Zeng, F.-G. (142) 102
Liu, T.-C., see Hsu, C.-J. (142) 203

Magal, E., see Shoji, F. (142) 41
Maier, H., see Zinn, C. (142) 159
Martino, K.M., see Zeng, F.-G. (142) 102
McFadden, D.
Masculinizing effects on otoacoustic emissions and auditory evoked potentials in women using oral contraceptives (142) 23
Miller, J.M., see Shoji, F. (142) 41

Nafati, M., see Cotillon, N. (142) 113

Ogura, M., see Kawase, T. (142) 63

Ryals, B.M., see Gleich, O. (142) 56

Sasaki, N., see Kawase, T. (142) 63
Schacht, J., see Sha, S.-H. (142) 34
Sha, S.-H. and Schacht, J.
Antioxidants attenuate gentamicin-induced free radical formation in vitro and ototoxicity in vivo: D-methionine is a potential protectant (142) 34
Shau, W.-Y., see Hsu, C.-J. (142) 203
Shoji, F., Yamasoba, T., Magal, E., Dolan, D.F., Altschuler, R.A. and Miller, J.M.
Glial cell line-derived neurotrophic factor has a dose dependent influence on noise-induced hearing loss in the guinea pig cochlea (142) 41
Soli, S.D., see Zeng, F.-G. (142) 102
Sundin, V.S., see Willott, J.F. (142) 79
Suzuki, Y., see Kawase, T. (142) 63

Takasaka, T., see Kawase, T. (142) 63
Torre III, P. and Fowler, C.G.
Age-related changes in auditory function of rhesus monkeys (*Macaca mulatta*) (142) 131
Trune, D.R., see Khan, D.C. (142) 12
Turner, J.G., see Willott, J.F. (142) 79

Wagner, R., see Foth, H.-J. (142) 71
Willott, J.F., Turner, J.G. and Sundin, V.S.
Effects of exposure to an augmented acoustic environment on auditory function in mice: roles of hearing loss and age during treatment (142) 79

Yamasoba, T., see Shoji, F. (142) 41

Zeng, F.-G., Martino, K.M., Linthicum, F.H. and Soli, S.D.
Auditory perception in vestibular neurectomy subjects (142) 102
Zenner, H.-P., see Zinn, C. (142) 159
Zenner, H.-P., see Hemmert, W. (142) 184
Zinn, C., Maier, H., Zenner, H.-P. and Gummer, A.W.
Evidence for active, nonlinear, negative feedback in the vibration response of the apical region of the in-vivo guinea-pig cochlea (142) 159

PII: S0378-5955(00)00052-6

ELSEVIER

Hearing Research 142 (2000) 213–215

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 142

Aging
Auditory brainstem response; Distortion product otoacoustic emission; Rhesus monkey (Torre III, P. (142) 131)

Aminoglycoside
Reactive oxygen species; Antioxidant therapy; Histidine; Methionine (Sha, S.-H. (142) 34)

Anti-masking
Olivocochlear bundle; Auditory efferent system; Vestibular neurectomy; Signal detection in noise; Overshoot; Intensity discrimination; Forward masking (Zeng, F.-G. (142) 102)

Antioxidant therapy
Aminoglycoside; Reactive oxygen species; Histidine; Methionine (Sha, S.-H. (142) 34)

Auditory brainstem response
Aging; Distortion product otoacoustic emission; Rhesus monkey (Torre III, P. (142) 131)

Auditory cortex
Low-frequency oscillations; Stimulus-locked oscillations; Auditory thalamus; Thalmic reticular nucleus (Cotillon, N. (142) 113)

Auditory efferent system
Olivocochlear bundle; Anti-masking; Vestibular neurectomy; Signal detection in noise; Overshoot; Intensity discrimination; Forward masking (Zeng, F.-G. (142) 102)

Auditory evoked potential
Otoacoustic emission; Oral contraceptive; Masculinization; Estrogen (McFadden, D. (142) 23)

Auditory nerve
Noise stimulation; Electrical stimulation; Rate–intensity function (Charlet de Sauvage, R. (142) 141)

Auditory thalamus
Low-frequency oscillations; Stimulus-locked oscillations; Auditory cortex; Thalmic reticular nucleus (Cotillon, N. (142) 113)

Autoimmune disease
Autoimmune hearing loss; Fibrosis; Otosclerosis; Osteogenesis; Inner ear (Khan, D.C. (142) 12)

Autoimmune hearing loss
Autoimmune disease; Fibrosis; Otosclerosis; Osteogenesis; Inner ear (Khan, D.C. (142) 12)

BALB/cJ mouse
BXD mouse; CBA/CaJ mouse; Sensorineural hearing loss; Development (Willott, J.F. (142) 79)

Basilar membrane
Laser interferometry; Cochlear mechanics; Travelling wave (Hemmert, W. (142) 184)

Bird
Inner ear; Cochlear pathology; Hereditary hearing Loss; Endocochlear potential (Gleich, O. (142) 56)

BXD mouse
CBA/CaJ mouse; BALB/cJ mouse; Sensorineural hearing loss; Development (Willott, J.F. (142) 79)

Ca^{2+}-ATPase
Na^+,K^+-ATPase; Microcolorimetric assay; Noise-induced hearing loss (Hsu, C.-J. (142) 203)

Cat
Single unit; Primary auditory cortex; Pure tone trauma; Topographic map; Reorganization (Eggermont, J.J. (142) 89)

CBA/CaJ mouse
BXD mouse; BALB/cJ mouse; Sensorineural hearing loss; Development (Willott, J.F. (142) 79)

Coagulation
Laser induced thermal damage; Tympanic membrane; Scattering (Foth, H.-J. (142) 71)

Cochlea
HC; GDNF; Neurotrophic factor; Osmotic pump; Noise-induced hearing loss (Shoji, F. (142) 41)

Cochlear mechanics
Laser interferometry; Basilar membrane; Travelling wave (Hemmert, W. (142) 184)

Cochlear micromechanics
Laser Doppler vibrometry; Nonlinearity; Negative feedback (Zinn, C. (142) 159)

Cochlear pathology
Inner ear; Bird; Hereditary hearing Loss; Endocochlear potential (Gleich, O. (142) 56)

Contra sound
Olivocochlear efferent; Psychophysical tuning curve; Human (Kawase, T. (142) 63)

PII: S0378-5955(00)00051-4

Development
BXD mouse; CBA/CaJ mouse; BALB/cJ mouse; Sensorineural hearing loss (Willott, J.F. (142) 79)

Distortion product
Otoacoustic emission; Phase delay; Gender difference; Human (Bowman, D.M. (142) 1)

Distortion product otoacoustic emission
Aging; Auditory brainstem response; Rhesus monkey (Torre III, P. (142) 131)

Electrical stimulation
Auditory nerve; Noise stimulation; Rate–intensity function (Charlet de Sauvage, R. (142) 141)

Endocochlear potential
Inner ear; Bird; Cochlear pathology; Hereditary hearing Loss (Gleich, O. (142) 56)

Estrogen
Otoacoustic emission; Auditory evoked potential; Oral contraceptive; Masculinization (McFadden, D. (142) 23)

Fibrosis
Autoimmune hearing loss; Autoimmune disease; Otosclerosis; Osteogenesis; Inner ear (Khan, D.C. (142) 12)

Forward masking
Olivocochlear bundle; Auditory efferent system; Anti-masking; Vestibular neurectomy; Signal detection in noise; Overshoot; Intensity discrimination (Zeng, F.-G. (142) 102)

GDNF
Cochlea; HC; Neurotrophic factor; Osmotic pump; Noise-induced hearing loss (Shoji, F. (142) 41)

Gender difference
Otoacoustic emission; Distortion product; Phase delay; Human (Bowman, D.M. (142) 1)

HC
Cochlea; GDNF; Neurotrophic factor; Osmotic pump; Noise-induced hearing loss (Shoji, F. (142) 41)

Hereditary hearing Loss
Inner ear; Bird; Cochlear pathology; Endocochlear potential (Gleich, O. (142) 56)

Histidine
Aminoglycoside; Reactive oxygen species; Antioxidant therapy; Methionine (Sha, S.-H. (142) 34)

Human
Otoacoustic emission; Distortion product; Phase delay; Gender difference (Bowman, D.M. (142) 1)

Contra sound; Olivocochlear efferent; Psychophysical tuning curve (Kawase, T. (142) 63)

Inner ear
Autoimmune hearing loss; Autoimmune disease; Fibrosis; Otosclerosis; Osteogenesis (Khan, D.C. (142) 12)

Bird; Cochlear pathology; Hereditary hearing Loss; Endocochlear potential (Gleich, O. (142) 56)

Intensity discrimination
Olivocochlear bundle; Auditory efferent system; Anti-masking; Vestibular neurectomy; Signal detection in noise; Overshoot; Forward masking (Zeng, F.-G. (142) 102)

Laser Doppler vibrometry
Cochlear micromechanics; Nonlinearity; Negative feedback (Zinn, C. (142) 159)

Laser induced thermal damage
Tympanic membrane; Coagulation; Scattering (Foth, H.-J. (142) 71)

Laser interferometry
Cochlear mechanics; Basilar membrane; Travelling wave (Hemmert, W. (142) 184)

Low-frequency oscillations
Stimulus-locked oscillations; Auditory cortex; Auditory thalamus; Thalmic reticular nucleus (Cotillon, N. (142) 113)

Masculinization
Otoacoustic emission; Auditory evoked potential; Oral contraceptive; Estrogen (McFadden, D. (142) 23)

Methionine
Aminoglycoside; Reactive oxygen species; Antioxidant therapy; Histidine (Sha, S.-H. (142) 34)

Microcolorimetric assay
Na^+,K^+-ATPase; Ca^{2+}-ATPase; Noise-induced hearing loss (Hsu, C.-J. (142) 203)

Na^+,K^+-ATPase
Ca^{2+}-ATPase; Microcolorimetric assay; Noise-induced hearing loss (Hsu, C.-J. (142) 203)

Negative feedback
Laser Doppler vibrometry; Cochlear micromechanics; Nonlinearity (Zinn, C. (142) 159)

Neurotrophic factor
Cochlea; HC; GDNF; Osmotic pump; Noise-induced hearing loss (Shoji, F. (142) 41)

Noise stimulation
Auditory nerve; Electrical stimulation; Rate–intensity function (Charlet de Sauvage, R. (142) 141)

Noise-induced hearing loss
Na^+,K^+-ATPase; Ca^{2+}-ATPase; Microcolorimetric assay (Hsu, C.-J. (142) 203)

Cochlea; HC; GDNF; Neurotrophic factor; Osmotic pump (Shoji, F. (142) 41)

Nonlinearity
Laser Doppler vibrometry; Cochlear micromechanics; Negative feedback (Zinn, C. (142) 159)

Olivocochlear bundle
Auditory efferent system; Anti-masking; Vestibular neurectomy; Signal detection in noise; Overshoot; Intensity discrimination; Forward masking (Zeng, F.-G. (142) 102)

Olivocochlear efferent
Contra sound; Psychophysical tuning curve; Human (Kawase, T. (142) 63)

Oral contraceptive
Otoacoustic emission; Auditory evoked potential; Masculinization; Estrogen (McFadden, D. (142) 23)

Osmotic pump
Cochlea; HC; GDNF; Neurotrophic factor; Noise-induced hearing loss (Shoji, F. (142) 41)

Osteogenesis
Autoimmune hearing loss; Autoimmune disease; Fibrosis; Otosclerosis; Inner ear (Khan, D.C. (142) 12)

Otoacoustic emission
Distortion product; Phase delay; Gender difference; Human (Bowman, D.M. (142) 1)

Auditory evoked potential; Oral contraceptive; Masculinization; Estrogen (McFadden, D. (142) 23)

Otosclerosis
Autoimmune hearing loss; Autoimmune disease; Fibrosis; Osteogenesis; Inner ear (Khan, D.C. (142) 12)

Overshoot
Olivocochlear bundle; Auditory efferent system; Anti-masking; Vestibular neurectomy; Signal detection in noise; Intensity discrimination; Forward masking (Zeng, F.-G. (142) 102)

Phase delay
Otoacoustic emission; Distortion product; Gender difference; Human (Bowman, D.M. (142) 1)

Primary auditory cortex
Single unit; Cat; Pure tone trauma; Topographic map; Reorganization (Eggermont, J.J. (142) 89)

Psychophysical tuning curve
Contra sound; Olivocochlear efferent; Human (Kawase, T. (142) 63)

Pure tone trauma
Single unit; Cat; Primary auditory cortex; Topographic map; Reorganization (Eggermont, J.J. (142) 89)

Rate–intensity function
Auditory nerve; Noise stimulation; Electrical stimulation (Charlet de Sauvage, R. (142) 141)

Reactive oxygen species
Aminoglycoside; Antioxidant therapy; Histidine; Methionine (Sha, S.-H. (142) 34)

Reorganization
Single unit; Cat; Primary auditory cortex; Pure tone trauma; Topographic map (Eggermont, J.J. (142) 89)

Rhesus monkey
Aging; Auditory brainstem response; Distortion product otoacoustic emission (Torre III, P. (142) 131)

Scattering
Laser induced thermal damage; Tympanic membrane; Coagulation (Foth, H.-J. (142) 71)

Sensorineural hearing loss
BXD mouse; CBA/CaJ mouse; BALB/cJ mouse; Development (Willott, J.F. (142) 79)

Signal detection in noise
Olivocochlear bundle; Auditory efferent system; Anti-masking; Vestibular neurectomy; Overshoot; Intensity discrimination; Forward masking (Zeng, F.-G. (142) 102)

Single unit
Cat; Primary auditory cortex; Pure tone trauma; Topographic map; Reorganization (Eggermont, J.J. (142) 89)

Stimulus-locked oscillations
Low-frequency oscillations; Auditory cortex; Auditory thalamus; Thalmic reticular nucleus (Cotillon, N. (142) 113)

Thalmic reticular nucleus
Low-frequency oscillations; Stimulus-locked oscillations; Auditory cortex; Auditory thalamus (Cotillon, N. (142) 113)

Topographic map
Single unit; Cat; Primary auditory cortex; Pure tone trauma; Reorganization (Eggermont, J.J. (142) 89)

Travelling wave
Laser interferometry; Cochlear mechanics; Basilar membrane (Hemmert, W. (142) 184)

Tympanic membrane
Laser induced thermal damage; Coagulation; Scattering (Foth, H.-J. (142) 71)

Vestibular neurectomy
Olivocochlear bundle; Auditory efferent system; Anti-masking; Signal detection in noise; Overshoot; Intensity discrimination; Forward masking (Zeng, F.-G. (142) 102)